This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

Claim 1 (Currently amended): A device for catching fish comprising:

a handle and a body wherein the body is a tube ~~of solid,~~ having a solid side wall, unitary ~~construction having~~ construction, a first end and an opposing second end, the first end defining an opening that enables a fish to enter the tube and to be removed from the tube, the second end including a ~~fixed, solid~~ fixed end wall constructed to prevent the fish from exiting or being removed from the second end of the tube, wherein the handle is non-rotatably connected to the body along an outer surface of the body.

Claim 2 (Previously presented): The device for catching fish according to claim 1, wherein the second end has at least one opening though which water flows.

Claim 3 (Previously presented): The device for catching fish according to claim 1, wherein the body is made of plastic.

Claim 4 (Previously presented): The device for catching fish according to claim 3, wherein the plastic is opaque.

Claim 5-6 (Cancelled)

Claim 7 (Previously presented): The device for catching fish according to claim 1, wherein the handle and body are made of plastic.

Claim 8 (Cancelled).

Claim 9 (Previously presented): The device for catching fish according to claim 1, wherein the handle has non-slip features.

Claim 10 (Currently amended): The device for catching fish comprising:

a handle with a slip resistant surface, said handle including a first end and a second end, said first end defining an opening, said second end being distally located from the first end and including an end wall, said handle being non-rotatably connected to an outer surface of a body of ~~solid,~~ unitary construction having a first end and a second end, the body defining ~~an~~ a solid outer wall and ~~an~~ a solid inner wall, the inner wall being generally smooth and forming a longitudinal chamber within the body, the first end of the body defining an opening to enable fish to enter the chamber and to be removed from the chamber, the chamber is of a sufficient length so that at least a substantial portion of the length of the fish is in the chamber, and the second end of the body having a fixed solid end wall ~~of the second end of the body being~~ formed to prevent the fish from exiting or being removed from the second end of the body.

Claim 11 (Previously Presented): The device for catching fish according to claim 10, wherein the body has at least one drain port that is small enough to prevent a fish in the chamber from leaving the chamber through the drain port.

Claim 12 (Cancelled)

Claim 13 (Currently amended): A device for catching a fish comprising a handle and a ~~solid,~~ unitary body non-movably connected to the handle along an outer surface thereof, the body having a solid side wall, a first end and a second end wherein the first end defines an opening which enables fish to swim into the body without bait and to be removed from the body and wherein the second end includes a fixed, solid end wall that prevents the fish from exiting or being removed from the second end of the body.

Claim 14 (Previously presented): The device according to claim 13 wherein the body is semi-rigid.

Claim 15 (Previously presented): The device according to claim 13 wherein the body is opaque.

Claim 16 (Previously presented): The device according to claim 13 wherein the handle is semi-rigid.

Claim 17 (Previously presented): The device according to claim 13 wherein the body is a tube.

Claim 18 (Cancelled)

Claim 19 (Previously presented): The device according to claim 13 wherein the body has one drain port that is smaller than the opening in the first end.

Claim 20 (Currently amended): A device for catching baitfish comprising:

a handle;

a body of ~~solid,~~ unitary construction connected to the handle and defining an interior chamber, the body including a solid side wall, a first end and an opposing second end, the first end defining an opening and the second end including a fixed, solid end wall, the body being non-rotatable with respect to the handle;

wherein the opening defined by the first end enables a baitfish to enter the chamber and to be removed from the chamber by a user, and

wherein the fixed, solid end wall of the second end prevents the baitfish from exiting or being removed from the chamber by the user.

Claim 21 (Previously presented): The device of claim 20, wherein the body defines at least one additional opening.

Claim 22 (Previously presented): The device of claim 20, wherein the body is cylindrical.